



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

SMALLPOX IN THE UNITED STATES—Continued.

Reports Received from December 31, 1910, to March 10, 1911.

Place.	Date.	Cases.	Deaths.	Remarks.
Wisconsin—Continued.				
Counties—Continued.				
Iowa.....	Dec. 1-Jan. 31.....	30	
Jefferson.....	Dec. 1-Jan. 31.....	10	
Lafayette.....	Dec. 1-Jan. 31.....	8	
La Crosse.....	Dec. 1-Jan. 31.....	3	
Milwaukee.....	Dec. 1-Jan. 31.....	8	
Oneida.....	Dec. 1-Jan. 31.....	3	
St. Croix.....	Dec. 1-Jan. 31.....	4	
Vernon.....	Jan. 1-31.....	4	
Vilas.....	Dec. 1-31.....	1	
Walworth.....	Jan. 1-31.....	1	
Washington.....	Dec. 1-31.....	1	
Total for State.....		93		
Grand total for the United States.....		5,817	30	

MORBIDITY AND MORTALITY.

MORBIDITY AND MORTALITY TABLE, CITIES OF THE UNITED STATES, FOR WEEK ENDED FEBRUARY 25, 1911.

Cities.	Popula- tion, United States, census 1910.	Total deaths, from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
<i>Cities having over 500,000 inhabitants.</i>														
Baltimore, Md.....	558,485	46	6	176	2	28	1	40	35	8	3
Boston, Mass.....	670,585	280	42	70	33	3	57	18	3	1
Chicago, Ill.....	2,185,283	680	169	13	164	2	188	12	3	178	86	20	7
Cleveland, Ohio.....	560,663	166	24	2	35	1	85	8	30	26	3	1
New York, N. Y.....	4,766,883	1,670	348	32	381	13	512	21	569	209	15	4	4
Philadelphia, Pa.....	1,549,008	552	118	16	466	13	61	5	84	55	9
Pittsburg, Pa.....	533,905	178	9	3	20	1	16	3	29	19	16	6
St. Louis, Mo.....	687,029	226	24	4	534	7	66	7	5	31	20	3
<i>Cities having from 300,000 to 500,000 inhabitants.</i>														
Buffalo, N. Y.....	423,715	167	18	4	16	21	22	10	15	1
Cincinnati, Ohio.....	364,463	103	9	1	31	1	2	25	15	1
Detroit, Mich.....	465,766	136	14	2	21	2	11	4	5	1
Milwaukee, Wis.....	373,857	127	25	3	14	32	5	9	9	15	1
Newark, N. J.....	347,469	114	34	1	33	16	13	2	1
New Orleans, La.....	339,075	7	112	2	12	3	32	21	3	1
San Francisco, Cal.....	416,912	138	4	11	13	20	17	4	4
Washington, D. C.....	331,069	153	11	1	23	12	24	21	9	2
<i>Cities having from 200,000 to 300,000 inhabitants.</i>														
Jersey, City, N. J.....	267,779	2	7
Providence, R. I.....	224,326	80	16	1	2	12	1	6	5
Seattle, Wash.....	237,194	50	1	87	7	13	6	12
<i>Cities having from 100,000 to 200,000 inhabitants.</i>														
Bridgeport, Conn.....	102,054
Cambridge, Mass.....	104,839	40	5	1	19	1	5	7	4
Columbus, Ohio.....	181,548	69	1	1	8	5	3	4
Dayton, Ohio.....	116,577	32	2	1	2	3	2	2
Fall River, Mass.....	119,295
Grand Rapids, Mich.....	112,571	39	3	1	154	10	1	2	2	1

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table, cities of the United States, for week ending February 25, 1911—Continued.

Cities.	Popula- tion, United States, census 1910.	Total deaths, from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having from 25,000 to 50,000 inhabitants—Cont'd.														
Brookline, Mass.	27,792	11	1		3						2			
Charlotte, N. C.	34,014													
Chattanooga, Tenn.	44,604										3			
Chelsea, Mass.	32,452	24	1		5		7				1			
Chicopee, Mass.	25,401		3								1	1		
Council Bluffs, Iowa	29,292	9			10								2	
Danville, Ill.	27,871	6			1		1							
Decatur, Ill.	31,140			4	1			1	1					
Dubuque, Iowa.	38,494	5										1		
East Orange, N. J.	34,371	3	3		3		8	1			1			
Elmira, N. Y.	37,176	14	1	1							1	1	1	
El Paso, Tex.	39,279	22			1		3		2		8	4		1
Everett, Mass.	33,484	7	2								2			
Frankfort, Ind.	26,672						2							
Haverhill, Mass.	44,115		4								1			
Hazleton, Pa.	25,452		2										1	1
Kalamazoo, Mich.	39,437	19			34		2				1	3		
Kingston, N. Y.	25,908													
Knoxville, Tenn.	36,346	14			50	1	1		4					
La Crosse, Wis.	30,417	5			5		2				1	1		
Lancaster, Pa.	47,227	13	2	1	1						2	1		
Lexington, Ky.	35,099	17			3						3	1		
Lynchburg, Va.	29,494	16	5		3		1				1			
McKeesport, Pa.	42,694	18	1		2							4	2	
Malden, Mass.	44,404	11	1		3		4				1	1		
Montgomery, Ala.	38,136	19			30			1			1			
Mount Vernon, N. Y.	30,919	7	4		1		5							
Newcastle, Pa.	36,280		2										3	
Newport, Ky.	30,309	8	2	1			2				1	1		
Newport, R. I.	27,149													
Newton, Mass.	39,806	10			8							2		
Niagara Falls, N. Y.	30,445	13	2	1	1		2				1		31	2
Norristown, Pa.	27,875	7			1								2	
Orange, N. J.	29,630	15	1		5		3				3			
Pasadena, Cal.	30,291	12	1				1					1		
Pittsfield, Mass.	32,121	5									1			
Portsmouth, Va.	33,190	13			5		1							
Poughkeepsie, N. Y.	27,936	17					17				3	1	1	
Quincy, Mass.	32,642	7					13							
Roanoke, Va.	34,874	16	4		3		2				1	1		
Sacramento, Cal.	44,696	12	2		1						2	2	1	
Salem, Mass.	43,697		3		4		2				1	1		1
San Diego, Cal.	39,598	11			3		4				2	2		
San Jose, Cal.	28,946	8					2							
Sioux City, Iowa	47,828		5	2					1					
Springfield, Ohio.	46,921	12	1		2		1				8			
Superior, Wis.	40,384	12	2									1		
Taunton, Mass.	34,259	14									2	2		
Topeka, Kans.	43,684													
Waltham, Mass.	27,834	8	1		1		3				2			
Wheeling, W. Va.	41,641	19			1						4	2	1	
Williamsport, Pa.	31,860	16					1					2		1
York, Pa.	44,750	12	4									1		
Zanesville, Ohio.	28,026	10			2								1	2
Cities having less than 25,000 inhabitants.														
Ann Arbor, Mich.	14,817	5			10		2				2	1		
Ashtabula, Ohio.	18,266													
Beaver Falls, Pa.	12,191	0			5								1	
Bennington, Vt.	8,698	0	1											
Biddeford, Me.	17,079	9	2					1				1		
Braddock, Pa.	19,357	8	2		2							1		
Butler, Pa.	20,728													
Cambridge, Ohio.	11,327	1												
Camden, S. C.														
Carbondale, Pa.	17,040	8	1		3		3							

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table, cities of the United States, for week ending February 25, 1911—Continued.

Cities.	Popula- tion, United States, census 1910.	Total deaths, from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having less than 25,000 inhabitants—Continued.														
Clinton, Mass.	13,075	5	2											
Coffeyville, Kans.	12,687	3							2					
Columbus, Ga.	20,554	7												
Columbus, Ind.		2									1	1		
Concord, N. H.	21,497	7	1		11		1							
Cumberland, Md.	21,839	10			1						1	1	3	1
Dunkirk, N. Y.		8			2		3				1	1		
Freeport, Ill.	17,567													
Galesburg, Ill.	22,089	4												
Gloucester, Mass.	24,398	6										1		
Greensboro, N. C.	15,895	6			1						1	1		
Harrison, N. J.	14,498	3	1				1							
Homestead, Pa.	18,713	7									1	1	1	
Hyde Park, Mass.	15,507	3			4		1					1		
Kearny, N. J.	18,659	7	3		1		2				3			
Kokomo, Ind.	17,010													
La Fayette, Ind.	20,081	6										2		
Lebanon, Pa.	19,240	6	8				5				1	1		
Manistee, Mich.	12,381													
Manitowoc, Wis.	13,027													
Marinette, Wis.	14,610	4			1						1	1		
Marlboro, Mass.	14,579	3									1			
Massillon, Ohio.	13,879	3												
Medford, Mass.	23,150	5			4		1				1		1	
Melrose, Mass.	15,715	0	3		6									
Moline, Ill.	24,199	9	6		11		3					1	1	
Montclair, N. J.	21,550	5					3							
Nanticoke, Pa.	18,877	3										1		
Newburyport, Mass.	14,949	8									1			
North Adams, Mass.	22,019	8	2		1							1		
Northampton, Mass.	19,431	8												
Ottumwa, Iowa.	22,012	12										1		
Paducah, Ky.	22,760	15			3				1			4		
Palmer, Mass.		0	1								1		1	
Peekskill, N. Y.		3	1				5				2			
Plainfield, N. J.	20,550	5					3				1			
Portsmouth, N. H.	11,209		2			83								
Rock Island, Ill.		10	1		6		1							
Rutland, Vt.	13,546													
Saratoga Springs, N. Y.		6											4	
South Bethlehem, Pa.	19,973	11									1	1	1	
Steelton, Pa.	14,246	4					1				5			
Warren, Ohio.	11,081	3												
Wilksburg, Pa.	18,924	11									2	1		
Woburn, Mass.	15,308	4	1		1						1			

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES OF THE UNITED STATES (untabulated).

COLORADO.—Three months ended December 31, 1910. Population, 799,024. Total number of deaths from all causes 2,864, including diphtheria 20, measles 1, scarlet fever 20, smallpox 1, tuberculosis 431, typhoid fever 176. Cases reported: Diphtheria 231, measles 196, scarlet fever 536, smallpox 289, typhoid fever 1,007.

FLORIDA.—Reports from the State board of health show as follows: Week ended February 18, 1911. Diphtheria present in 2 localities (Jacksonville and Ybor City) with 3 cases, smallpox in 10 counties